

SILHOUETTE Windsor



COROMALWINDSOR.COM.AU

SILHOUETTE Windsor



S400XC



Body Length (mm)	3,400
Overall Length (mm)	5,430
Overall Height – Roof Up (mm)	3,176
Overall Height – Roof Down (mm)	2,220
Overall Body Width (mm)	2,190
Tare Weight (kg)	1,680*
ATM Weight (kg)	2,080*

S401XC



Body Length (mm)	3,400
Overall Length (mm)	5,430
Overall Height – Roof Up (mm)	3,176
Overall Height – Roof Down (mm)	2,220
Overall Body Width (mm)	2,190
Tare Weight (kg)	1,770*
ATM Weight (kg)	2,170*

S421XC



Body Length (mm)	3,600
Overall Length (mm)	5,630
Overall Height – Roof Up (mm)	3,176
Overall Height – Roof Down (mm)	2,220
Overall Body Width (mm)	2,210
Tare Weight (kg)	1,780*
ATM Weight (kg)	2,180*

S450XC



Body Length (mm)	3,900
Overall Length (mm)	5,920
Overall Height – Roof Up (mm)	3,176
Overall Height – Roof Down (mm)	2,220
Overall Body Width (mm)	2,210
Tare Weight (kg)	1,830*
ATM Weight (kg)	2,230*

*Note: Weights and specifications shown are indicative and are meant as a guide only. Weights may vary between builds and will change when adding options. Due to progressive product improvements all specifications are subject to change without notice. Images are not to scale and are only for illustration purposes.

SILHOUETTE Windsor



S400X4



Body Length (mm)	3,400
Overall Length (mm)	5,430
Overall Height – Roof Up (mm)	3,052
Overall Height – Roof Down (mm)	2,095
Overall Body Width (mm)	2,190
Tare Weight (kg)	1,780*
ATM Weight (kg)	2,180*

S401X4



Body Length (mm)	3,400
Overall Length (mm)	5,430
Overall Height – Roof Up (mm)	3,052
Overall Height – Roof Down (mm)	2,095
Overall Body Width (mm)	2,190
Tare Weight (kg)	1,860*
ATM Weight (kg)	2,260*

S421X4



Body Length (mm)	3,600
Overall Length (mm)	5,630
Overall Height – Roof Up (mm)	3,052
Overall Height – Roof Down (mm)	2,095
Overall Body Width (mm)	2,210
Tare Weight (kg)	1,870*
ATM Weight (kg)	2,270*

S450X4



Body Length (mm)	3,900
Overall Length (mm)	5,920
Overall Height – Roof Up (mm)	3,052
Overall Height – Roof Down (mm)	2,095
Overall Body Width (mm)	2,210
Tare Weight (kg)	1,930*
ATM Weight (kg)	2,330*

*Note: Weights and specifications shown are indicative and are meant as a guide only. Weights may vary between builds and will change when adding options. Due to progressive product improvements all specifications are subject to change without notice. Images are not to scale and are only for illustration purposes.



SILHOUETTE SPECIFICATIONS

CHASSIS

Modular Galvanized Steel
Coupling swivel
16" Tyres with steel wheels
Spare wheel mount on rear
8" Jockey wheel with quick release jack legs
Step - recessed
Slide-out step
Water tank guard

APPLIANCES

Stove with grill (1 electric / 3 gas burners)
90L AES 3-Way Fridge (12V / 240V / Gas)
Microwave 25L
Radio / CD / DVD / USB / Bluetooth Colour touch screen
Internal speakers x2, External speakers x2
Prewired reversing camera provision

POWER & ELECTRICS

External 240V power outlet, USB 12V / CIG socket
External TV antenna inlet
External TV coaxial outlet
Transformer - 12V power supply / battery charger 25amp
12V mains light over-ride switch
12V CIG / USB socket - dinette
USB socket - TV area
Annex light
LED ceiling rope lights
Reading lights with fans to bedroom x2

GAS

Gas bottles 9kg x2
Double regulator

SAFETY

Off road bush electronic brakes
Non-slip ABS recessed entry step

CONSTRUCTION

Future Teck™ walls and roof
Lift Teck™ | Patented cable-free safe lifting mechanism
Front storage compartment (Gas, general storage)
Lower tunnel locker and tunnel boot
Side toolbox
Front stone deflector
Heavy grade PVC windows
Box awning

KITCHEN & PLUMBING

Kitchen sink - stainless steel bowl and drainer
Kitchen tap - low profile swivel mixer
Water gauge
43L water tank x3, 43L grey water tanks x2
Lockable water filler
Mains water tap to A-frame
Mains water inlet
12V water pump
Moulded cutlery tray
Laminated plywood benchtops
Flush gloss kitchen cabinets with soft close drawers

BEDROOM

Memory foam mattress

OTHER

External shower
Ceiling hatch

MODEL SPECIFIC STANDARDS

S400XC | S401XC | S421XC | S450XC

Esy-Tow Sport X Independent Suspension
Rear spare wheel and jerry can provision
1x 150W Solar Panel with 1x 30amp reg, 1 battery

S400X4 | S401X4 | S421X4 | S450X4

Esy-Tow Trailing Arm Independent Suspension
Rear spare wheel, jerry can provision and locker
2x 150W Solar Panel with 1x 30amp reg, 2 batteries
Airconditioner
External kitchen
Hot Water System (Gas / 240V)
19" TV no swing arm
Scrub bars to roof

**Note: Appliances may vary depending on availability. Not all items may be listed in this publication. Specifications are subject to change due to progress product improvements.*